



# Formulation

No. 3001

## Natural Argan Oil Body Lotion

### DESCRIPTION

This formulation features natural emulsifiers **Poly Suga<sup>®</sup>Mulse D6** along with **Cola<sup>®</sup>Fax CPE-K** along with all-natural emollients and moisturizers to give outstanding moisturization and a luxurious, non-greasy feel.

### FORMULATION

Order	INCI Name	Trade Name	%
A	Water		qs to 100.00
A	Cetyl Hydroxyethylcellulose	Natrosol <sup>®</sup> Plus 330 CS <sup>1</sup>	0.25
A	Sorbitan Oleate Decylglucoside Crosspolymer	<b>Poly Suga<sup>®</sup>Mulse D6</b>	4.00
A	Potassium Cetyl Phosphate	<b>Cola<sup>®</sup>Fax CPE-K</b>	1.00
A	Glycerin		2.00
B	Ethylhexyl Palmitate	HallStar <sup>®</sup> OP <sup>2</sup>	3.00
B	Isopropyl Palmitate	HallStar <sup>®</sup> IPP-NF <sup>2</sup>	6.00
B	Argania Spinosa Kernel (Argan) Oil		3.00
B	Cetyl Alcohol	Lanette <sup>®</sup> 16 <sup>3</sup>	4.00
C	Diheptyl Succinate and Capryloyl Glycerin/Sebacic Acid Copolymer	LexFeel <sup>®</sup> N5 <sup>4</sup>	2.00
C	Methylisothiazolinone and Ethylhexylglycerin and Aqua	Euxyl <sup>®</sup> K220 <sup>5</sup>	0.07
C	Fragrance	White Lily <sup>6</sup>	0.10

### PROCEDURE

1. In primary vessel, combine Water and Cetyl Hydroxyethylcellulose. Hydrate according to manufacturer instructions.
2. Add remaining phase A ingredients. Heat to 70°C.
3. In a side vessel, combine phase B ingredients. Heat to 70°C.
4. Once both phases are homogeneous and at temperature, add B to A slowly with good mixing.
5. Slowly cool to 50°C and add phase C ingredients.
6. Homogenize and fill containers.

### TYPICAL PROPERTIES

Appearance      Opaque  
pH                    6.0  
Viscosity           50,000 cP

### SUPPLIERS

<sup>1</sup>Ashland, <sup>2</sup>HallStar, <sup>3</sup>BASF, <sup>4</sup>Inolex, <sup>5</sup>Schülke & Mayr, <sup>6</sup>Belle-Aire Fragrances

## Colonial Chemical, Inc. *Natural Surfactants*

225 Colonial Drive • South Pittsburg, TN 37380 • Phone: 423-837-8800 • Fax: 423-837-3888

Technical information contained herein is believed to be accurate. However, it is furnished without charge or obligation and is given and accepted at the recipient's sole risk. No guarantee of the accuracy of the information is made and the products discussed are sold without conditions or warranties expressed or implied. No warranties beyond the guarantee that Colonial Chemical products are manufactured to specs are expressed or implied, since the use of material is beyond our control. Purchasers should make their own tests and determine suitability of the product for their particular purposes. Nothing contained herein shall be considered a recommendation for any use that may infringe upon patent rights. Safety information regarding this product is contained in its Safety Data Sheet.