



Face Cream with Coconut Oil

DESCRIPTION

This formulation features **Cola®Fax CPE**, **Cola®Lipid ST** and **Cola®Moist 200**. The cream offers intense moisturizing and skin-nourishing properties with the benefits of phospholipid-based emulsifiers. The lightweight cream provides a natural, hydrating touch and works on all skin types.

FORMULATION

Order	INCI Name	Trade Name	%
A	Water		qs to 100.00
A	Cetyl Hydroxyethylcellulose	Natrosol™ Plus 330CS ¹	0.40
A	Cetyl Phosphate	Cola®Fax CPE	1.00
A	Potassium Hydroxide		0.40
A	Stearamidopropyl PG-Dimonium Chloride Phosphate	Cola®Lipid ST	3.00
A	Hydroxypropyl Bis-Hydroxyethylmonium Chloride	Cola®Moist 200	1.00
B	Cetyl Alcohol	Lanette® 16 ²	2.50
B	Myristyl Myristate	HallStar® MM ³	3.75
B	Isopropyl Palmitate	HallStar® IPP-NF ³	5.00
B	Coco-Caprylate	Cetiol® C 5 ²	1.25
B	Cocos Nucifera (Coconut) Oil		0.60
C	Phenoxyethanol and Ethylhexylglycerin	Euxyl® PE 9010 ⁴	0.50
C	Fragrance	Calming ⁵	0.20

PROCEDURE

1. Disperse Natrosol™ Plus 330CS and ColaFax CPE in water.
2. Adjust pH above 8.5 with potassium hydroxide. Begin heating to 60°C.
3. Once homogeneous, add remaining Phase A ingredients.
4. In a separate vessel, heat Phase B to 60°C.
5. Once both phases are at 60°C, add Phase B to Phase A with good mixing.
6. Cool to 50°C and homogenize.
7. Cool to 45°C and add remaining Phase C ingredients.

TYPICAL PROPERTIES

Appearance	Opaque
pH	6.0 – 7.0
Viscosity	500,000 P

SUPPLIERS

¹Ashland, ²BASF, ³HallStar, ⁴Schülke & Mayr, ⁵Orchidia Fragrances

Colonial Chemical, Inc. *Natural Surfactants*

225 Colonial Drive • South Pittsburg, TN 37380 • Phone: 423-837-8800 • Fax: 423-837-3888

Technical information contained herein is believed to be accurate. However, it is furnished without charge or obligation and is given and accepted at the recipient's sole risk. No guarantee of the accuracy of the information is made and the products discussed are sold without conditions or warranties expressed or implied. No warranties beyond the guarantee that Colonial Chemical products are manufactured to specs are expressed or implied, since the use of material is beyond our control. Purchasers should make their own tests and determine suitability of the product for their particular purposes. Nothing contained herein shall be considered a recommendation for any use that may infringe upon patent rights. Safety information regarding this product is contained in its Safety Data Sheet.