

SAFETY DATA SHEET

Cola®Lux LO

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification	
Product identifier	
Product identifier	Cola®Lux LO
Product number	3434
INCI Name	Lauramine Oxide
Recommended use of the che	
Application	Surfactant
Uses advised against	No specific uses advised against are identified.
Details of the supplier of the s	afety data sheet
Manufacturer	Colonial Chemical, Inc.
	225 Colonial Drive South Pittsburg, TN 37380
	U.S.A.
	+1 (423) 837-8800
Emergency telephone number	ŗ
Emergency telephone	Toll free (in USA, Canada, Puerto Rico, Virgin Islands only): 1-800-424-9300
	Direct dial: +1 703-527-3887
2. Hazard(s) identification	
Classification of the substance	e or mixture
Physical hazards	Not Classified
Health hazards	Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411
Label elements	
Hazard symbols	
	××
Signal word	Danger
Hazard statements	H302 Harmful if swallowed. H315 Causes skin irritation.
	H315 Causes skin irritation. H318 Causes serious eye damage.
	H400 Very toxic to aquatic life.
	H411 Toxic to aquatic life with long lasting effects.

Precautionary statements	P264 Wash contaminated skin thoroughly after handling.
	P270 Do not eat, drink or smoke when using this product.
	P273 Avoid release to the environment.
	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	P301+P312 If swallowed: Call a poison center/ doctor if you feel unwell.
	P302+P352 If on skin: Wash with plenty of water.
	P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 Immediately call a poison center/ doctor.
	P321 Specific treatment (see medical advice on this label).
	P330 Rinse mouth.
	P332+P313 If skin irritation occurs: Get medical advice/ attention.
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P391 Collect spillage.
	P501 Dispose of contents/ container in accordance with national regulations.
Contains	Lauramine Oxide (C12-14)

Other hazards

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information on ingredients

Mixtures

Lauramine Oxide (C12-14)		30-60%
CAS number: 1643-20-5		
M factor (Acute) = 1		
Classification		
Acute Tox. 4 - H302		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		
4 Dedeserencias N.N. dimethod		-40/
1-Dodecanamine, N,N-dimethyl-		<1%
CAS number: 112-18-5		
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Acute Tox. 4 - H302		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
Aquatic Acute 1 - H400		

The full text for all hazard statements is displayed in Section 16.

Composition comments

* The identity or exact percentage is withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.	
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.	
Ingestion	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.	
Skin Contact	Rinse with water.	
Eye contact	Rinse immediately with plenty of water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.	
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.	
Most important symptoms and	effects, both acute and delayed	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	No specific symptoms known.	
Ingestion	May cause irritation.	
Skin contact	Redness. Irritating to skin.	
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.	
Indication of immediate medical attention and special treatment needed		
Notes for the doctor	Treat symptomatically.	
Notes for the doctor 5. Fire-fighting measures	Treat symptomatically.	
	Treat symptomatically.	
5. Fire-fighting measures	Treat symptomatically. The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.	
5. Fire-fighting measures Extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry	
5. Fire-fighting measures Extinguishing media Suitable extinguishing media Unsuitable extinguishing	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire.	
5. Fire-fighting measures Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire.	
5. Fire-fighting measures Extinguishing media Suitable extinguishing media Unsuitable extinguishing media Special hazards arising from th	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire.	
5. Fire-fighting measures Extinguishing media Suitable extinguishing media Unsuitable extinguishing media Special hazards arising from the Specific hazards Hazardous combustion	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. ne substance or mixture Containers can burst violently or explode when heated, due to excessive pressure build-up. Thermal decomposition or combustion products may include the following substances:	
5. Fire-fighting measures Extinguishing media Suitable extinguishing media Unsuitable extinguishing media Special hazards arising from the Specific hazards Hazardous combustion products	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. ne substance or mixture Containers can burst violently or explode when heated, due to excessive pressure build-up. Thermal decomposition or combustion products may include the following substances:	
5. Fire-fighting measures Extinguishing media Suitable extinguishing media Unsuitable extinguishing media Special hazards arising from the specific hazards Hazardous combustion products Advice for firefighters Protective actions during	 The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. ne substance or mixture Containers can burst violently or explode when heated, due to excessive pressure build-up. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors. Avoid breathing fire gases or vapors. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents. 	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material.
Environmental precautions	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.
Methods and material for conta	inment and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Small Spillages: Collect spillage. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
7. Handling and storage	
Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.
Conditions for safe storage, inc	sluding any incompatibilities
Storage precautions	Store away from incompatible materials (see Section 10). Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.
Storage class	Miscellaneous hazardous material storage.
Specific end uses(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
8. Exposure controls/Personal	protection
Exposure controls	

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection	Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full- face respirator may be required instead.
Hand protection	Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and be demonstrated to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
Respiratory protection	Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with OSHA 1910.134. Full face mask respirators with replaceable filter cartridges should comply with OSHA 1910.134. Half mask and quarter mask respirators with replaceable filter cartridges should filter cartridges should comply with OSHA 1910.134.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Information on basic physical and chemical properties

internation on basic physical a	
Appearance	Liquid.
Color	Yellow.
Odor	Characteristic.
Odor threshold	Not available.
pH (1% aqueous)	6.5 – 8.3
Melting point	Not available.
Initial boiling point and range	> 100°C/212°F
Flash point	> 100°C/212°F Pensky-Martens closed cup.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable. Product is a liquid.
Upper/lower flammability or explosive limits	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	8.05 lb/gal @ 25°C
Solubility(ies)	Soluble in water.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.

Decomposition Temperature	Not available.
Viscosity	18 cps @ 25°C
Explosive properties	Not considered to be explosive.
Oxidizing properties	Does not meet the criteria for classification as oxidizing.
Other information	None.
Molecular weight	240 g/mol
Volatility	68 – 71%
Volatile organic compound	Does not contain any VOCs.
Surface Tension	Not available.
% Solids	Not available.
10. Stability and reactivity	
Reactivity	See the other subsections of this section for further details.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	No potentially hazardous reactions known.
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.
11. Toxicological information	
Information on toxicological ef	fects
<u>Acute toxicity - oral</u> Notes (oral LD₅o)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	1,618.12
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation Skin corrosion/irritation	Irritating to skin.
Serious eye damage/irritation Serious eye damage/irritation	Eye Dam. 1 - H318 Causes serious eye damage.
Respiratory sensitization Respiratory sensitization	Based on available data the classification criteria are not met.

Skin sensitization Skin sensitization Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
	Based on available data the classification criteria are not met.
Consino nonisit <i>i</i>	
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity - s	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity - r	eneated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	May cause irritation.
Skin Contact	Redness. Irritating to skin.
Skin Contact Eye contact	Redness. Irritating to skin. Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
	Causes serious eye damage. Symptoms following overexposure may include the following:
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
Eye contact Route of exposure Target Organs	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness. Ingestion Inhalation Skin and/or eye contact
Eye contact Route of exposure	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness. Ingestion Inhalation Skin and/or eye contact
Eye contact Route of exposure Target Organs	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness. Ingestion Inhalation Skin and/or eye contact
Eye contact Route of exposure Target Organs 12. Ecological information	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness. Ingestion Inhalation Skin and/or eye contact No specific target organs known.
Eye contact Route of exposure Target Organs 12. Ecological information Toxicity	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness. Ingestion Inhalation Skin and/or eye contact No specific target organs known.
Eye contact Route of exposure Target Organs 12. Ecological information Toxicity Persistence and degradability Biodegradation	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness. Ingestion Inhalation Skin and/or eye contact No specific target organs known. Aquatic Acute 1 - H400 Very toxic to aquatic life. The product is readily biodegradable. This product meets the criteria for a surfactant under the EU Detergents Regulation (EC)
Eye contact Route of exposure Target Organs 12. Ecological information Toxicity Persistence and degradability	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness. Ingestion Inhalation Skin and/or eye contact No specific target organs known. Aquatic Acute 1 - H400 Very toxic to aquatic life. The product is readily biodegradable. This product meets the criteria for a surfactant under the EU Detergents Regulation (EC)
Eye contact Route of exposure Target Organs 12. Ecological information Toxicity Persistence and degradability Biodegradation Bioaccumulative potential	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness. Ingestion Inhalation Skin and/or eye contact No specific target organs known. Aquatic Acute 1 - H400 Very toxic to aquatic life. The product is readily biodegradable. This product meets the criteria for a surfactant under the EU Detergents Regulation (EC) 648/2004.
Eye contact Route of exposure Target Organs 12. Ecological information Toxicity Persistence and degradability Biodegradation Bioaccumulative potential Bio-Accumulative Potential	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness. Ingestion Inhalation Skin and/or eye contact No specific target organs known. Aquatic Acute 1 - H400 Very toxic to aquatic life. The product is readily biodegradable. This product meets the criteria for a surfactant under the EU Detergents Regulation (EC) 648/2004. No data available on bioaccumulation.
Eye contact Route of exposure Target Organs 12. Ecological information Toxicity Persistence and degradability Biodegradation Bioaccumulative potential Bio-Accumulative Potential Partition coefficient	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness. Ingestion Inhalation Skin and/or eye contact No specific target organs known. Aquatic Acute 1 - H400 Very toxic to aquatic life. The product is readily biodegradable. This product meets the criteria for a surfactant under the EU Detergents Regulation (EC) 648/2004. No data available on bioaccumulation.

Other adverse effects	None known.
13. Disposal considerations	
Waste treatment methods	
General information	The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Incineration or landfill should only be considered when recycling is not feasible.
14. Transport information	
General	This product may be consigned under the Limited Quantity or Excepted Quantity provisions.
Sea transport notes	Class 9: Limited quantity packaging is maximum 5 L or 5 kg. Excepted quantity package is maximum 30 ml or 30 g (inner) and 1000 g total.
Air transport notes	Class 9: Limited quantity packaging is maximum 5 L or 5 kg (inner) and 30 kg gross. Excepted quantity package is maximum 30 ml or 30 g (inner) and 1 kg gross. These limits apply to both passenger and cargo aircraft.
DOT transport notes	Class 9 Special Provision: Use of the Class 9 classification, including markings, is not required for domestic ground transportation in USA if the material does not meet the definition of a hazardous waste or hazardous substance as defined in 49 CFR 171.8, even though it is designated as environmentally hazardous by another Competent Authority. Ref: 49 CFR 172.102(c)(1)(Provision 146).
UN Number	
UN No. (TDG)	3082
UN No. (IMDG)	3082
UN No. (ICAO)	3082
UN proper shipping name	
Proper shipping name (TDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Amine Oxide)
Proper shipping name (IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Amine Oxide)
Proper shipping name (ICAO)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Amine Oxide)
Transport hazard class(es)	
TDG class	9
TDG label(s)	9
IMDG Class	9
ICAO class/division	9

Transport labels



Packing group

TDG Packing Group	III
IMDG packing group	Ш

Environmental hazards

Environmentally Hazardous Substance



Special precautions for user

EmS

F-A, S-F

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed or exempt.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed or exempt.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed or exempt.

SARA 313 Emission Reporting

None of the ingredients are listed or exempt.

CAA Accidental Release Prevention

None of the ingredients are listed or exempt.

FDA - Essential Chemical

None of the ingredients are listed or exempt.

FDA - Precursor Chemical

None of the ingredients are listed or exempt.

SARA (311/312) Hazard Categories

None of the ingredients are listed or exempt.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed or exempt.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins None of the ingredients are listed or exempt.

California Air Toxics "Hot Spots" (A-I) None of the ingredients are listed or exempt.

California Air Toxics "Hot Spots" (A-II) None of the ingredients are listed or exempt.

California Directors List of Hazardous Substances None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List None of the ingredients are listed or exempt.

Rhode Island "Right To Know" List None of the ingredients are listed or exempt.

Minnesota "Right To Know" List None of the ingredients are listed or exempt.

New Jersey "Right To Know" List None of the ingredients are listed or exempt.

Pennsylvania "Right To Know" List None of the ingredients are listed or exempt.

Inventories EU - REACH

Registration No. 01-2119490061-47-xxxx

Canada - DSL/NDSL All the ingredients are listed or exempt. DSL

US - TSCA All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification None of the ingredients are listed or exempt.

Australia - AICS All the ingredients are listed or exempt.

Japan - ENCS All the ingredients are listed or exempt.

Korea - KECI All the ingredients are listed or exempt.

China - IECSC All the ingredients are listed or exempt.

China - IECIC

Listed as Lauramine Oxide.

Philippines - PICCS All the ingredients are listed or exempt.

New Zealand - NZIOC

All the ingredients are listed or exempt.

Taiwan - TCSI

All the ingredients are listed or exempt.

16. Other information	
Abbreviations and acronyms used in the safety data sheet	TDG: The transport of dangerous goods act
	 IATA: International air transport association. ICAO: Technical instructions for the safe transport of dangerous goods by air. IMDG: International maritime dangerous goods. CAS: Chemical abstracts service. ATE: Acute toxicity estimate. LCso: Lethal concentration to 50 % of a test population. LDso: Lethal dose to 50% of a test population (median lethal dose). ECso: 50% of maximal effective concentration. PBT: Persistent, bioaccumulative and toxic substance. vPvB: Very persistent and very bioaccumulative.
Classification abbreviations and acronyms	Eye Dam. = Serious eye damage Skin Irrit. = Skin irritation Aquatic Acute = Hazardous to the aquatic environment (acute)
Training advice	Only trained personnel should use this material.
Issued by	Regulatory Affairs Department
Revision date	8/5/2020
Revision	13
Supersedes date	6/11/2020
SDS No.	5148
Hazard statements in full	 H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

End of SDS

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.